Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		connectivit$5 same binar$5 adj3 image$2 same (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) same(characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:16
		"307" and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:22
		dot$1 adj2 (parameter$5 characteristic$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:23
L6	6	("5166986").URPN.	USPAT	OR	ON	2005/05/19 15:05
L7	2	("5854882").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:08
L8	2	("6538762").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:08
L9	7	(connectivit$5 with binar$5 adj3 image$2) same characteristic$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:11
L10	7	(connectivit$5 with binar$5 adj3 image$2) same (characteristic$5 profile$5 printer adj2 attribut$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:14
L11	0	connectivit$5 same binar$5 adj3 image$2 same (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) adj2 (characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:16

L12	3	connectivit$5 same binar$5 adj3 image$2 same (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) same (characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L13	2	jp-2004222005-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:19
L14	592	connectivit$5 same (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) same (characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
L15	161	14 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
L16	15	connectivit$5 same (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) same (characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5) and (binary$5 adj2 image$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
L17	8	16 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L18	8	connectivit$5 same binar$5 same (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) same (characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L19	83	connectivit$5 with (print$5 image$5 adj2 form$5 adj2 apparatus$5 copy adj2 machine$5 record$5 adj2 apparatus$5) with (characteristic$5 profile$5 attribut$5 information$5 parameter$5 environment$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25

L20	27	19 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L21	9121	(358/1.1, 358/1.11, 358/1.15). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:12
L22	14	21 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:13
S1	2	("6538762").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:51
S2	0	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) with (dot adj2 connectiv$5 adj4 parameter$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 13:53
S3	23	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) with (dot adj4 parameter$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:07
S4	12	S3 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:10
S5	55	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) with (dot$2 adj2 (characteristic$5 attribut$5 parameter$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:27
S6	32	S5 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22

S7	27	S6 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:13
S8	5	(("5696853") or ("6031627")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:21
S9	1	(control$5 near4 dot$5 near4 connectivit$5) same (characteristic$5 parameter$5 reproducibilit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:24
S10	2	JP-2001111825-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:24
S11	2	(control$5 near4 dot$5 near4 connectivit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:25
S12	25	(dot$5 near4 connectivit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:25
S13	7	S12 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:32
S14	1108	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) with (dot$2 with connect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:31
S15	449	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) with (dot$2 near6 connect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:36
S16	698	control$5 with dot$5 adj4 connect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:35

S17	342	S15 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:36
S18	1	control$5 with dot$5 adj4 connectivit$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:35
S19	3	dot$5 adj4 connectivit$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:35
S20	104	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) with control$5 with dot$2 with (characteristic$5 parameter$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:43
S21	71	S20 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:59
S22	38	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) adj4 (characteristic$5 parameter$5) same (dot$5 with control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:09
S23	22	S22 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:16
S24	0	JP-411187259-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:04
S25	2	JP-11187259-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:04

S26	675663	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) nearj4 (characteristic$5 parameter$5) same (dot$5 with control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:10
S27	68	(image adj2 form$5 adj2 apparatus$5 record$5 adj2 apparatus$5 copy adj2 machine$5 printer$5 marking$5 adj2 apparatus$5) near4 (characteristic$5 parameter$5) same (dot$5 with control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:10
S28	42	S27 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:16
S29	20	S28 not S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:19
S30	9	(binar$5 with dot$5 adj2 (parameter$5 characteristic$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:23
S31	689	dot$1 adj2 (parameter$5 characteristic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:24
S32	9	dot$1 adj2 (connectivit$5 isolat$5) with (parameter$5 characteristic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:31
S33	2	("6546364").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:36
S34	3	(dot$2 adj2 inter adj2 connect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:03

S35	1	(half adj2 tone$5 adj3 (connectivit$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:38
S36	1	(dot$2 adj2 connectivit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:32
S37	0	(dot$2 near4 connectivit$5 near4 parameter$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:15
S38	2	(dot$2 with connectivit$5 with parameter$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:15
S39	805	(control$5 adj4 print$5 adj2 dot$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:17
S40	10	(control$5 adj4 print$5 adj2 dot$2) with (characteristic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S41	357	(print$5 adj2 dot$2) with (characteristic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S42	402	(print$5 adj2 dot$2) with binar$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S43	402	(print$5 adj2 dot$2) with binar$5 same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S44	239	S43 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33

S45	0	(connectivit$5 adj2 parameter$5) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S46	2	jp-2001111825-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:32
S47	112	(connectivit$5 adj2 parameter$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S48	0	(connectivit$5 adj2 parameter$5) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S49	37	(connectivit$5 adj2 parameter$5) and print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S50	12	S49 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:40
S51	29	(connectivit$5 adj4 binar$5 adj3 image$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:11
S52	18	S51 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52
S53	1	JP-03139783-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:50
S54	98	(connectivit$5 with binar$5 adj3 image$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52

S55	52	S54 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52
S56	34	S55 not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52